NEUROSCIENCE LETTERS

Vol. 162 Nos. 1,2 CONTENTS NOVEMBER 12th, 1993

(Cited in Biological Abstracts (BIOSIS), Chemical Abstracts, Current Contents/Life Sciences, Excerpta Medica (EMBASE), Index Medicus, PASCAL M and Science Citation Index)

Announcement from the Publisher v

Spontaneous firing of nigrostriatal dopaminergic neurons in split-brain rats
M.A. Castellano, F.L. Rivero and M. Rodriguez (Spain) 1

Muscimol-induced increase in dopamine release and metabolism is not observed in kainic acid-lesioned striatum of conscious rats: an in vivo microdialysis study
M. Yoshida, K. Mizoguchi, H. Yokoo, T. Tanaka, H. Ishii, H. Emoto, C. Koga and M. Tanaka (Japan) 5

Properties of the mouse cone-mediated electroretinogram during light adaptation
N.S. Peachey, Y. Goto, M.R. Al-Ubaidi and M.I. Naash (USA) 9

Intracerebral 1S,3R-1-aminocyclopentane-1,3-dicarboxylic acid (1S,3R-ACPD) produces limbic seizures that are not blocked by ionotropic glutamate receptor antagonists
J.P. Tizzano, K.I. Griffey, J.A. Johnson, A.S. Fix, D.R. Helton and D.D. Schoepp (USA) 12

G-protein linked melatonin binding sites in the chicken lung
C.S. Pang, G.M. Brown, P.L. Tang and S.F. Pang (Canada, Hong Kong) 17

Intravitreal application of membrane-permeable analogs of cyclic GMP increases serotonin *N*-acetyltransferase (NAT) activity in retinas of light-exposed chicks: comparison with the effect of cyclic AMP analogs and darkness
J.Z. Nowak and M. Wawrocka (Poland) 21

Expression of intrinsic bursting properties in neurons of maturing sensorimotor cortex
S. Franceschetti, S. Buzio, G. Sancini, F. Panzica and G. Avanzini (Italy) 25

Correlation of GAP-43 immunoreactivity with subpopulations of chromaffin cells in rat adrenal medulla
D.A. Dorsey and R.E. Schmidt (USA) 29

Dendrites of rod dominant ON-bipolar cells are coupled by gap junctions in carp retina
N. Cuenca, E. Fernández, M. García and J. De Juan (Spain) 34

Regionally selective stimulation of mitogen activated protein (MAP) kinase tyrosine phosphorylation after generalized seizures in the rat brain
P. Gass, M. Kiessling and H. Bading (FRG, USA) 39

The non-psychotropic cannabinoid (+)-(3*S*,4*S*)-7-hydroxy-Δ^6-tetrahydrocannabinol 1,1-dimethylheptyl (HU-211) attenuates *N*-methyl-D-aspartate receptor-mediated neurotoxicity in primary cultures of rat forebrain
V. Nadler, R. Mechoulam and M. Sokolovsky (Israel) 43

Spontaneous morphological changes by overexpression of the growth-associated protein B-50/GAP-43 in a PC12 cell line
H.B. Nielander, P. French, A.B. Oestreicher, W.H. Gispen and P. Schotman (The Netherlands) 46

Acute increase in expression of growth associated protein GAP-43 following cortical ischemia in rat
R.P. Stroemer, T.A. Kent and C.E. Hulsebosch (USA) 51

1-Methyl-4-phenylpyridinium (MPP^+) binds with high affinity to a β-carboline binding site located on monoamine oxidase type A in rat brain
T. May (FRG) 55

Cellular localization of serotonin transporter mRNA in the rat brain
M. Fujita, S. Shimada, H. Maeno, T. Nishimura and M. Tohyama (Japan) 59

Absence of linkage disequilibrium at amyloid precursor protein gene locus in Japanese familial Alzheimer's disease with ^{717}Val→Ile mutation
H. Tanaka, S. Naruse, K. Seki, O. Onodera, H. Kobayashi, T. Miyatake, A. Shibata, Y. Sakaki, K. Kamino, T. Miki, N. Nukina, M. Imagawa, I. Nakano, T. Shimizu, T. Kojima, J. Hardy and S. Tsuji (Japan, USA) 63

Expression of the gene coding for the NR1 subunit of the NMDA receptor during rat brain development
Z. Pujic, I. Matsumoto and P.A. Wilce (Australia) 67

'Collapsed' (argyrophilic, dark) neurons in rat model of transient focal cerebral ischemia
A. Czurkó and H. Nishino (Japan, Hungary) 71

Augmenting effects of cyclic AMP on the heat response of canine testicular polymodal receptors
K. Mizumura, H. Koda and T. Kumazawa (Japan) 75

(Contents continued on p. 204–205)

This journal is printed on acid-free paper.

0304-3940(19931112)162:1/2;1-D

NEUROSCIENCE LETTERS

Vol. 162 Nos. 1,2 CONTENTS NOVEMBER 12th, 1993

(Cited in Biological Abstracts (BIOSIS), Chemical Abstracts, Current Contents/Life Sciences, Excerpta Medica (EMBASE), Index Medicus, PASCAL M and Science Citation Index)

Announcement from the Publisher v

Spontaneous firing of nigrostriatal dopaminergic neurons in split-brain rats
M.A. Castellano, F.L. Rivero and M. Rodriguez (Spain) 1

Muscimol-induced increase in dopamine release and metabolism is not observed in kainic acid-lesioned striatum of conscious rats: an in vivo microdialysis study
M. Yoshida, K. Mizoguchi, H. Yokoo, T. Tanaka, H. Ishii, H. Emoto, C. Koga and M. Tanaka (Japan) 5

Properties of the mouse cone-mediated electroretinogram during light adaptation
N.S. Peachey, Y. Goto, M.R. Al-Ubaidi and M.I. Naash (USA) 9

Intracerebral 1S,3R-1-aminocyclopentane-1,3-dicarboxylic acid (1S,3R-ACPD) produces limbic seizures that are not blocked by ionotropic glutamate receptor antagonists
J.P. Tizzano, K.I. Griffey, J.A. Johnson, A.S. Fix, D.R. Helton and D.D. Schoepp (USA) 12

G-protein linked melatonin binding sites in the chicken lung
C.S. Pang, G.M. Brown, P.L. Tang and S.F. Pang (Canada, Hong Kong) 17

Intravitreal application of membrane-permeable analogs of cyclic GMP increases serotonin *N*-acetyltransferase (NAT) activity in retinas of light-exposed chicks: comparison with the effect of cyclic AMP analogs and darkness
J.Z. Nowak and M. Wawrocka (Poland) 21

Expression of intrinsic bursting properties in neurons of maturing sensorimotor cortex
S. Franceschetti, S. Buzio, G. Sancini, F. Panzica and G. Avanzini (Italy) 25

Correlation of GAP-43 immunoreactivity with subpopulations of chromaffin cells in rat adrenal medulla
D.A. Dorsey and R.E. Schmidt (USA) 29

Dendrites of rod dominant ON-bipolar cells are coupled by gap junctions in carp retina
N. Cuenca, E. Fernández, M. García and J. De Juan (Spain) 34

Regionally selective stimulation of mitogen activated protein (MAP) kinase tyrosine phosphorylation after generalized seizures in the rat brain
P. Gass, M. Kiessling and H. Bading (FRG, USA) 39

The non-psychotropic cannabinoid (+)-(3*S*,4*S*)-7-hydroxy-Δ^6-tetrahydrocannabinol 1,1-dimethylheptyl (HU-211) attenuates *N*-methyl-D-aspartate receptor-mediated neurotoxicity in primary cultures of rat forebrain
V. Nadler, R. Mechoulam and M. Sokolovsky (Israel) 43

Spontaneous morphological changes by overexpression of the growth-associated protein B-50/GAP-43 in a PC12 cell line
H.B. Nielander, P. French, A.B. Oestreicher, W.H. Gispen and P. Schotman (The Netherlands) 46

Acute increase in expression of growth associated protein GAP-43 following cortical ischemia in rat
R.P. Stroemer, T.A. Kent and C.E. Hulsebosch (USA) 51

1-Methyl-4-phenylpyridinium (MPP^+) binds with high affinity to a β-carboline binding site located on monoamine oxidase type A in rat brain
T. May (FRG) 55

Cellular localization of serotonin transporter mRNA in the rat brain
M. Fujita, S. Shimada, H. Maeno, T. Nishimura and M. Tohyama (Japan) 59

Absence of linkage disequilibrium at amyloid precursor protein gene locus in Japanese familial Alzheimer's disease with ^{717}Val→Ile mutation
H. Tanaka, S. Naruse, K. Seki, O. Onodera, H. Kobayashi, T. Miyatake, A. Shibata, Y. Sakaki, K. Kamino, T. Miki, N. Nukina, M. Imagawa, I. Nakano, T. Shimizu, T. Kojima, J. Hardy and S. Tsuji (Japan, USA) 63

Expression of the gene coding for the NR1 subunit of the NMDA receptor during rat brain development
Z. Pujic, I. Matsumoto and P.A. Wilce (Australia) 67

'Collapsed' (argyrophilic, dark) neurons in rat model of transient focal cerebral ischemia
A. Czurkó and H. Nishino (Japan, Hungary) 71

Augmenting effects of cyclic AMP on the heat response of canine testicular polymodal receptors
K. Mizumura, H. Koda and T. Kumazawa (Japan) 75

(Contents continued on p. 204–205)

This journal is printed on acid-free paper.

0304-3940(19931112)162:1/2;1-D

CONTENTS *(continued from the back cover)*

Does pain damage spinal cord neurons? Transsynaptic degeneration in rat following a surgical incision
A.K. Nachemson and G.J. Bennett (Sweden, USA) 78
Psychological stress increases serotonin release in the rat amygdala and prefrontal cortex assessed by in vivo microdialysis
H. Kawahara, M. Yoshida, H. Yokoo, M. Nishi and M. Tanaka (Japan) 81
Abnormalities of sympathetic innervation in the area of an injured peripheral nerve in a rat model of neuropathic pain
K. Chung, H.J. Kim, H.S. Na, M.J. Park and J.M. Chung (USA) 85
Serotonin (5-HT) fibers of the rat dura mater: 5-HT-positive, but not authentic serotoninergic, tryptophan hydroxylase-like fibers
M.I. Stanley, R.J. Berger, M. Zuccarello and J.T. Keller (USA) 89
C fiber generates a slow Na^+ spike in the frog sciatic nerve
J.-i. Kobayashi, M. Ohta and Y. Terada (Japan) 93
Inhibitory effect of nitric oxide (NO) synthase inhibitors on naloxone-precipitated withdrawal syndrome in morphine-dependent mice
S.L.T. Cappendijk, R. de Vries and M.R. Dzoljic (The Netherlands) 97
Tolbutamide suppresses anoxic outward current of hippocampal neurons
J.M. Godfraind and K. Krnjević (Canada H3G 1Y6) 101
UTP activates multiple second messenger systems in cultured rat astrocytes
G. Bruner and S. Murphy (USA) 105
Retinoic acid receptor expression during the in vitro differentiation of human neuroblastoma
P.E. Lovat, A.D.J. Pearson, A. Malcolm and C.P.F. Redfern (UK) 109
Antagonism by glibenclamide of the effect of morphine in hippocampal preparations
Y. Uchida, K. Saito, T. Ohnishi, S. Maeda, T. Matsuya and R. Inoki (Japan) 114
Oxypurinol inhibits free radical release from the cerebral cortex of closed head injured rats
S. Sen, H. Goldman, M. Morehead, S. Murphy and J.W. Phillis (USA) 117
Nitric oxide synthase-immunoreactive neurons in human and porcine respiratory tract
O.D. de Rada, A.C. Villaro, L.M. Montuenga, A. Martínez, D.R. Springall and J.M. Polak (Spain, UK) 121
Bunina bodies in amyotrophic lateral sclerosis immunostained with rabbit anti-cystatin C serum
K. Okamoto, S. Hirai, M. Amari, M. Watanabe and A. Sakurai (Japan) 125
Evidence for separate eye and head position command signals in unrestrained rats
N. Dieringer and R.K. Meier (FRG) 129
Effects of anesthetic agents on somatosensory responses of raphespinal neurons in the cat
R.W. Blair and A.R. Evans (USA) 133
'Perineuronal nets' around cortical interneurons expressing parvalbumin are rich in tenascin
M.R. Celio and R. Chiquet-Ehrismann (Switzerland) 137
The expression of a neuronal nuclear antigen (Ri) recognized by the human anti-Ri autoantibody in the developing rat nervous system
J. Fueyo, I. Ferrer, F. Valldeoriola and F. Graus (Spain) 141
The influence of sleep deprivation on thyroid hormone metabolism in rat frontal cortex
A. Campos-Barros, R. Köhler, F. Müller, M. Eravci, H. Meinhold, W. Wesemann and A. Baumgartner (FRG) 145
Calcium green-5N, a novel fluorescent probe for monitoring high intracellular free Ca^{2+} concentrations associated with glutamate excitotoxicity in cultured rat brain neurons
S. Rajdev and I.J. Reynolds (USA) 149
Appearance of EMG activity and motor asymmetry after unilateral lesions of the dopaminergic innervation to the subthalamic nucleus in the rat
G. Flores, J. Valencia, M.G. Rosales, A. Sierra and J. Aceves (México) 153
Changes in basal and stimulated release of endogenous serotonin from different nuclei of rats subjected to two models of depression
E.H. Jaffe, V. De Frias and C. Ibarra (Venezuela) 157
In situ hybridization study of κ-opioid receptor mRNA in the rat brain
M. Minami, Y. Hosoi, T. Toya, Y. Katao, K. Maekawa, S. Katsumata, K. Yabuuchi, T. Onogi and M. Satoh (Japan) 161
Carbachol can potentiate *N*-methyl-D-aspartate responses in the rat hippocampus by a staurosporine and thapsigargin-insensitive mechanism
J. Harvey, R. Balasubramaniam and G.L. Collingridge (UK) 165
Calcium indicators and excitotoxicity in cultured cortical neurons
K.v.B. Ahern, H.S. Lustig, J. Chan and D.A. Greenberg (USA) 169
Synthesis and release of the β-amyloid precursor protein by bovine chromaffin cells
S. Bieger and H.-W.K.K. Unsicker (FRG, Switzerland) 173
Anti-tau-positive glial fibrillary tangles in the brain of postencephalitic parkinsonism of Economo type
K. Ikeda, H. Akiyama, H. Kondo and K. Ikeda (Japan) 176
Neuropathological staging of Alzheimer lesions and intellectual status in Alzheimer's and Parkinson's disease patients
C. Bancher, H. Braak, P. Fischer and K.A. Jellinger (Austria, Germany , Austria) 179

Abnormal accumulation of phospholipase C-δ in filamentous inclusions of human neurodegenerative diseases
S. Shimohama, G. Perry, P. Richey, T. Takenawa, P.J. Whitehouse, K. Miyoshi, T. Suenaga, S. Matsumoto, M. Nishimura and J. Kimura (Japan, USA) 183
Effects of chronic lithium treatment on platelet PKC isozymes in Alzheimer's and elderly control subjects
S.E. Molchan, H. Manji, G. Chen, L. Dou, J. Little, W.Z. Potter and T. Sunderland (USA) 187
Selective loss of pallidal dopamine D_2 receptor density in hepatic encephalopathy
D.D. Mousseau, P. Perney, G.P. Layrargues and R.F. Butterworth (Canada H2X 3J4) 192
Resiniferatoxin-induced loss of vanilloid receptors is reversible in the urinary bladder but not in the spinal cord of the rat
C. Goso, G. Piovacari and A. Szallasi (Italy) 197

Author Index 201

Contents 204